





177
FIG. 1






2/7
FIG. 2






3/7
FIG. 3






4/7
FIG. 4






5/7
FIG. 5





6/7
FIG. 6





7/7

FIG. 7

DISPLAY SCREEN INFORMATION WINDOW:

EXECUTING MQTOOLS STANDARD PROFILE (V1.0.5)

QUEUE MANAGER	STATUS	MAIN PID	UPTIME (DD-HH:MM:SS)
D03MQ101	UP	21944	62-21:10:19
D03MQ102	DOWN		
ALL QMGRS:	NOT RUNNING		

MQSERIES MESSAGE BROKER FOR QUEUE MANAGER D03MQ101 RUNNING.

HIGH AVAILABILITY CLUSTER: THIS SERVER APPEARS TO BE CONFIGURED FOR HIGH AVAILABILITY CLUSTERS. MQSERIES CONFIG CHANGES (NOT DATA CHANGES) NEED TO BE PROPAGATED TO BOTH THE PRIMARY AND BACKUP NODES.

HOSTNAMES ASSOCIATED WITH THIS NODE:

D03MQ101
D03HA101B1_STBY
B305U22

COMPLEX: THIS SERVER APPEARS TO BE IN A SUPER PARALLEL COMPLEX, AND HOME DIRECTORIES, IDS, AND PASSWORDS, ARE SHARED ACROSS ALL SERVERS IN THE COMPLEX. THE CONTROL WORKSTATION IS <SACWSB>.

THIS IS THE GWA BLUE ZONE COMPLEX; THIS IS A PRODUCTION SERVER.